

CPT[®] II and ICD-10 codes for HEDIS[®] measures

Please use this tip sheet for commonly used CPT II and ICD-10 codes for the listed HEDIS Star measures. This document also includes the criteria for advanced illness and/or frailty exclusions from the HEDIS Star Measures.

➤ ADVANCED ILLNESS AND/OR FRAILITY CRITERIA

- Advanced illness codes include conditions (includes dispensed dementia medication) such as metastatic cancer, heart failure and late stage kidney disease (billed in the measurement year or the year prior).
- Frailty codes include equipment that is typically included on claims such as hospital beds, wheelchairs and oxygen. However, there are frailty codes that are not always routinely included on claims such as weakness, fatigue and falls (billed in the measurement year).

The table below indicates the members excluded from the HEDIS Star measurement.

Measure	66 and older with advanced illness and frailty	81 and older with frailty
Breast cancer screening (BCS): Ages 50-74	X	
Colorectal cancer screening (COL): Ages 50-75	X	
Controlling blood pressure (CBP): Ages 18-85	X	X
Osteoporosis management in women who had a fracture (OMW): Ages 67-85	X	X
Comprehensive diabetes care (CDC): Ages 18-75	X	
Disease-modifying anti-rheumatic drug therapy for rheumatoid arthritis (ART): Ages 18 and older	X	X
Statin therapy for patients with cardiovascular disease (SPC): <ul style="list-style-type: none"> • Men ages 21-75 • Women ages 40-75 	X	

➤ BREAST CANCER SCREENING (BCS)

Patients are excluded from the measure if they have a history of bilateral mastectomy. Please include the following ICD-10 diagnosis code(s) on the claim as appropriate.

ICD-10 code	Description
Z90.13	Acquired absence of bilateral breasts and nipples
Z90.12	Acquired absence of left breast and nipple
Z90.11	Acquired absence of right breast and nipple

► COLORECTAL CANCER SCREENING (COL)

Patients are excluded from the measure if they have a history of colorectal cancer. Please include the following ICD-10 diagnosis code(s) on the claim, as appropriate.

ICD-10 code	Description
Z85.038	Personal history of other malignant neoplasm of large intestine
Z85.048	Personal history of other malignant neoplasm of rectum, rectosigmoid junction and anus

► CONTROLLING HIGH BLOOD PRESSURE (CBP)

Please use the ICD-10 code R03.0 when the patient has an elevated blood-pressure reading without a diagnosis of hypertension such as with white coat syndrome or transient hypertension.

Please document the blood pressure CPT II code recorded at each office visit on the claim. The last blood pressure reading of the year is used to determine compliance with this measure.

CPT II code	Most recent systolic blood pressure
3074F	<130 mm HG
3075F	130 - 139 mm HG
3077F	≥ 140 mm Hg
CPT II code	Most recent systolic blood pressure
3078F	<80 mm Hg
3079F	80 - 89 mm Hg
3080F	≥ 90 mm Hg

► OSTEOPOROSIS MANAGEMENT IN WOMEN WHO HAD A FRACTURE (OMW)

ICD-10 code	Description
R26.2	Difficulty in walking not otherwise classified
R26.89	Other abnormalities of gait and mobility
R26.9	Unspecified abnormalities of gait or mobility
R41.81	Age-related cognitive decline
R53.1	Weakness
R53.81	Other malaise
R53.83	Other fatigue
R54	Age-related physical debility
Z73.6	Limitations of activities due to disability
Z74.09	Other reduced mobility
Z91.81	History of falling
Z99.3	Dependence on a wheelchair
W01.0XXA - W01.198S	Falls
W06.XXXA - W10.9XXS	
W18.00XA - W19.XXXS	

► COMPREHENSIVE DIABETES CARE (CDC)

- HbA1c results: When conducting an HbA1c in your office, submit the results on the HbA1c claim with the appropriate CPT II Code.

CPT II code	Most recent HbA1c level
3044F	< 7%
3045F	7.0 - 9.0%
3046F	> 9%

- Retinal eye exam results: When results are received from an eye care professional, submit the results on a \$0.01 claim with one of the following CPT II codes as appropriate.

CPT II code	Retinal eye exam findings
2022F	Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist documented and reviewed
3072F	Low risk for retinopathy (no evidence of retinopathy in the prior year)

- Kidney disease monitoring: Submit a claim for a urine protein screening test or report of medical attention for nephropathy during the measurement year.

CPT II code	Retinal eye exam findings
4010F	Use when you prescribe an ACE/ARB
3066F	Use to indicate kidney transplant or nephrology visit, patient receiving dialysis or patient being treated for ESRD, CRF, ARF or renal insufficiency

► DMARD THERAPY FOR RHEUMATOID ARTHRITIS (ART)

ICD-10 code	Description
R26.2	Difficulty in walking, not otherwise classified
R26.89	Other abnormalities of gait and mobility
R26.9	Unspecified abnormalities of gait or mobility
R41.81	Age-related cognitive decline
R53.1	Weakness
R53.81	Other malaise
R53.83	Other fatigue
R54	Age-related physical debility
Z73.6	Limitations of activities due to disability
Z74.09	Other reduced mobility
Z91.81	History of falling
Z99.3	Dependence on a wheelchair

➤ STATIN THERAPY FOR PATIENTS WITH CARDIOVASCULAR DISEASE (SPC)

When patients cannot tolerate statin medications, they are excluded from the measure. Please submit a claim with the appropriate ICD-10 code and document the patient's condition in the medical record.

Condition	ICD-10 code
Myalgia	M79.1-M79.18
Myositis	M60.80-M60.819; M60.821-M60.829; M60.831- M60.839; M60.841-M60.849; M60.851-M60.859; M60.861-M60.869; M60.871-M60.9
Myopathy	G72.0, G72.2, G72.9
Rhabdomyolysis	M62.82