



HEALTH CARE REFORM

Benefits for preventive services

The chart on the following pages shows the preventive services covered under your health plan as part of the Affordable Care Act (ACA). These services are subject to change based on federal requirements. Benefits for the services listed here are covered at 100% when they are obtained from a Blue Cross and Blue Shield of Nebraska in-network provider, subject to the gender, age and frequency guidelines indicated.

Benefits will be provided for in-network preventive services that are:

- A. evidence-based items or services that have a rating of A or B in the current recommendations of the United States Preventive Services Task Force;
- B. evidence-informed preventive care and screenings listed in comprehensive guidelines supported by the Health Resources and Services Administration for infants, children and adolescents (through age 21);
- C. evidence-informed preventive care and screenings listed in comprehensive guidelines supported by the Health Resources and Services Administration for women; and
- D. recommended from the Advisory Committee on Immunization Practices of the Centers for Disease Control and Prevention for routine immunizations for children, adolescents and adults.

Note

Preventive services do not generally include services intended to treat an existing illness, injury or condition. Benefits will be determined based on how the provider submits the claim. Claims must be submitted with the appropriate diagnosis and procedure code in order to be paid at the 100% benefit level. If during your preventive services visit you receive services to treat an existing illness, injury or condition, you may be required to pay a copay, deductible and/or coinsurance for those covered services.

Recommended preventive service

Recommended preventive service	Gender				Age	Frequency
	Men	Women	Pregnant Women	Children		
Abdominal Aortic Aneurysm, Screening	•				65 and older	One per lifetime
Alcohol Misuse Screening and Behavioral Counseling Intervention	•	•				Screening: One per calendar year; Counseling by PCP: Eight sessions per calendar year
Alcohol and Drug Assessment, Developmental/Behavioral Assessment				•		
Aspirin for the Prevention of Cardiovascular Disease	•	•			Men: 50 to 59 Women: 50 to 59	Subject to plan's retail day supply limit
Aspirin for the Prevention of Preeclampsia			•		Women: 13 to 59	Subject to plan's retail day supply limit
Asymptomatic Bacteriuria in Adults, Screening			•			
Autism Screening, Developmental/Behavioral Assessment				•	Up to age 3	
Blood Screening, Newborn - Children				•	Up to age 1	
Breast Cancer, Screening (mammogram)		•			40 and older	One per calendar year
Breast Cancer, Discuss Chemoprevention When at High Risk		•				
Breast Cancer, Prescribe Risk-Reducing Medication for Women at Increased Risk of Cancer		•			35 and older	Subject to plan's retail day supply limit
Breast and Ovarian Cancer Susceptibility, Genetic Risk Assessment and Discussion of BRCA Mutation Testing (based on family risk factors)		•				
Breastfeeding, Primary Care Interventions to Promote Breastfeeding		•	•			
Breastfeeding Support, Supplies, and Counseling (breast pump, lactation classes)		•	•			Pumps: One pump per pregnancy; Lactation support and counseling: No frequency restrictions
Cervical Cancer, Screening (Pap smear)		•	•	•		One per calendar year
Chlamydial Infection, Screening	•	•	•	•		
Colorectal Cancer, Screening (Screenings include: colonoscopy, sigmoidoscopy, proctosigmoidoscopy, barium enema, fecal occult blood testing, FIT-DNA, laboratory tests, colon bowel preparation medication and related services)	•	•			50 and older 50 to 75 for FIT-DNA test	One every 5 calendar years; One per calendar year for fecal occult blood test; One every 3 calendar years for FIT-DNA test
Congenital Hypothyroidism, Screening (newborns)				•	Up to age 1	
Contraceptive Methods and Counseling (female contraceptive methods and birth control including tubal and sterilization)		•				
Contraceptive Methods (Pharmacy) (birth control)		•				Subject to plan's retail day supply limit

Recommended preventive service	Gender				Age	Frequency
	Men	Women	Pregnant Women	Children		
Critical Congenital Heart Defect Screening (newborns)				•		
Dental Caries in Preschool Children, Prevention (apply fluoride varnish to the primary teeth)				•	6 months to age 6	
Dental Caries in Preschool Children, Prevention (prescribe oral fluoride if deficient in water)				•	6 months to age 16 (through age 15)	Subject to plan's retail day supply limit
Depression, Screening	•	•	•	•		
Developmental Screening, Developmental/ Behavioral Assessment				•	Up to age 3	
Developmental Surveillance, Developmental/ Behavioral Assessment				•		
Diabetes Mellitus (Type 2) in Adults, Screening	•	•		•		
Diabetes, Screening for Gestational Diabetes			•			
Diet, Behavioral Counseling in Primary Care to Promote Healthy Diet and Physical Activity (adults with cardiovascular risk factors)	•	•				Up to 12 visits per calendar year
Evaluation and Management Services (E/M) (periodic preventive examination/ office visit/ well woman visit)	•	•	•	•		Newborn up to age 6 unlimited; annually thereafter
Folic Acid, Daily Supplement of		•	•			Subject to plan's retail day supply limit
Gonorrhea, Screening		•	•	•		
Gonorrhea, Prophylactic Eye Medication (newborns)				•		
Hearing Loss in Newborns, Screening				•	Up to age 1 month	
Hearing, Sensory Screening (beyond newborn screening)				•	Up to age 22 (through age 21)	One per calendar year
Hepatitis B Virus Infection, Screening	•	•	•	•		
Hepatitis C Virus (HCV) Infection, Screening	•	•				One per lifetime
High Blood Pressure, Screening	•	•		•		
HIV Screening and Counseling (at risk and all pregnant women)	•	•	•	•		
Human papillomavirus (HPV), Screening	•	•				
Interpersonal and Domestic Violence, Screening and Counseling		•				
Immunizations	•	•	•	•		
Iron Deficiency Anemia, Prevention – Hematocrit or Hemoglobin Screening (at risk 6 to 12 month old babies)				•	Up to age 2 for screening; Up to age 1 for pharmacy	Lab tests have no frequency restrictions; Drugs are subject to plan's retail day supply limit

Recommended preventive service	Gender				Age	Frequency
	Men	Women	Pregnant Women	Children		
Iron Deficiency Anemia, Screening			•			
Lead, Screening				•	Up to age 7	
Lipid Disorders, Screening (cholesterol)	•	•		•		One every 5 calendar years
Lung Cancer, Screening	•	•			55 up to 80	One per calendar year
Major Depressive Disorders in Children and Adolescents, Screening				•		
Obesity, Screening	•	•		•		
Oral Health, Screening				•		
Osteoporosis in Women, Screening (bone density testing)		•				One every 2 calendar years
Perinatal Depression, Counseling and Interventions		•	•			8 sessions per pregnancy up to one year after delivery
Phenylketonuria (PKU), Screening (newborns)				•	Up to age 1	Two per lifetime
Prevention of Falls in Community-Dwelling Older Adults	•	•			65 and older	
Psychosocial Assessment, Developmental/ Behavioral Assessment				•		
Rh (D) Incompatibility, Screening			•			
Sexually Transmitted Infections, Counseling	•	•		•		
Sickle Cell Disease, Screening (newborns)				•	Up to age 1	
Skin Cancer, Behavioral Counseling	•	•		•	10 up to 24	
Statins for the Prevention of Cardiovascular Disease	•	•	•		40 up to 75	Subject to plan's retail day supply limit
Syphilis Infection, Screening	•	•	•	•		
Tobacco Use and Tobacco-Caused Disease, Counseling (including tobacco/nicotine cessation drugs and deterrents)	•	•		•		Medical: Up to 8 visits per calendar year. Drugs and deterrents are limited to 180 day supply per product type
Tuberculin Test, Screening	•	•	•	•		
Vision, Sensory Screening				•	Up to age 22	One per calendar year
Visual Impairment in Children Younger than 5 Years, Screening				•	Up to age 5	One per calendar year

Questions?

Call the Member Services number on the back of your member ID card.

[NebraskaBlue.com/Prevent](https://www.nebraskablue.com/Prevent)